



**MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

1/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product identifier**

**Trade name** MAXFORCE® FC SELECT PROFESSIONAL INSECT CONTROL® ROACH KILLER BAIT GEL  
**Product code (UVP)** 05955564  
**SDS Number** 102000005017  
**EPA Registration No.** 432-1259

**Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide  
**Restrictions on use** See product label for restrictions.

**Information on manufacturer**

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Emergency telephone no.**

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)

**Product Information Telephone Number** 1-800-331-2867

**SDS Information or Request** SDSINFO.BCS-NA@bayer.com

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification in accordance with regulation HCS 29CFR §1910.1200**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

**Other hazards**

No particular hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Hazardous Component Name | CAS-No.     | Concentration % by weight |
|--------------------------|-------------|---------------------------|
| Fipronil                 | 120068-37-3 | 0.01                      |



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

2/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

**SECTION 4: FIRST AID MEASURES**

**Description of first aid measures**

|                       |   |
|-----------------------|---|
| <b>General advice</b> | When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
| <b>Inhalation</b>     | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.  |
| <b>Skin contact</b>   | Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.   |
| <b>Eye contact</b>    | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.   |
| <b>Ingestion</b>      | Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended. |

**Most important symptoms and effects, both acute and delayed**

**Symptoms** The following symptoms may occur: Restlessness, Anxiety, Tremors

**Indication of any immediate medical attention and special treatment needed**

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

**SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media**

**Suitable** Dry chemical, Foam, Water, Carbon dioxide (CO2)  
**Unsuitable** None known.

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**Advice for firefighters**

**Special protective equipment for fire-fighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

3/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

---

|                                 |                   |
|---------------------------------|-------------------|
| <b>Flash point</b>              | not applicable    |
| <b>Autoignition temperature</b> | no data available |
| <b>Lower explosion limit</b>    | not applicable    |
| <b>Upper explosion limit</b>    | not applicable    |
| <b>Explosivity</b>              | no data available |

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

**Methods and materials for containment and cleaning up**

**Methods for cleaning up** Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Product will stain porous surfaces.  
Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Do not use this product in or on electrical equipment due to the possibility of shock hazard.

**Hygiene measures** Keep away from food, drink and animal feedingstuffs.  
Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of reach of children and animals.

---



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

4/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

| Components                        | CAS-No.     | Control parameters   | Update  | Basis    |
|-----------------------------------|-------------|----------------------|---------|----------|
| Fipronil<br>(Particulate.)        | 120068-37-3 | 50ug/m3<br>(ST ESL)  | 02 2013 | TX ESL   |
| Fipronil<br>(Particulate.)        | 120068-37-3 | 5ug/m3<br>(AN ESL)   | 02 2013 | TX ESL   |
| Fipronil                          | 120068-37-3 | 0.035 mg/m3<br>(TWA) |         | OES BCS* |
| Sucrose                           | 57-50-1     | 10 mg/m3<br>(TWA)    | 02 2012 | ACGIH    |
| Sucrose<br>(Respirable.)          | 57-50-1     | 5 mg/m3<br>(REL)     | 2010    | NIOSH    |
| Sucrose<br>(Total)                | 57-50-1     | 10 mg/m3<br>(REL)    | 2010    | NIOSH    |
| Sucrose<br>(Total dust.)          | 57-50-1     | 15 mg/m3<br>(PEL)    | 02 2006 | OSHA Z1  |
| Sucrose<br>(Respirable fraction.) | 57-50-1     | 5 mg/m3<br>(PEL)     | 02 2006 | OSHA Z1  |
| Sucrose<br>(Respirable fraction.) | 57-50-1     | 5 mg/m3<br>(TWA)     | 1989    | OSHA Z1A |
| Sucrose<br>(Total dust.)          | 57-50-1     | 15 mg/m3<br>(TWA)    | 1989    | OSHA Z1A |
| Sucrose<br>(Respirable fraction.) | 57-50-1     | 5 mg/m3<br>(TWA)     | 06 2008 | TN OEL   |
| Sucrose<br>(Total dust.)          | 57-50-1     | 15 mg/m3<br>(TWA)    | 06 2008 | TN OEL   |
| Sucrose<br>(Particulate.)         | 57-50-1     | 50ug/m3<br>(ST ESL)  | 02 2013 | TX ESL   |
| Sucrose<br>(Particulate.)         | 57-50-1     | 5ug/m3<br>(AN ESL)   | 02 2013 | TX ESL   |

No control parameters known.

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.

**Hand protection**

Protective gloves

**Eye protection**

Safety glasses with side-shields



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

5/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

---

|                                    |   |
|------------------------------------|---|
| <b>Skin and body protection</b>    | Wear long-sleeved shirt and long pants and shoes plus socks.  |
| <b>General protective measures</b> | Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.<br>Keep and wash PPE separately from other laundry. |

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|   |  |
|---|--|
| <b>Appearance</b>                             | light brown  |
| <b>Physical State</b>                         | gel  |
| <b>Odor</b>                                   | sweet  |
| <b>Odour Threshold</b>                        | no data available  |
| <b>pH</b>                                     | no data available  |
| <b>Vapor Pressure</b>                         | no data available  |
| <b>Vapor Density (Air = 1)</b>                | no data available  |
| <b>Specific Gravity</b>                       | no data available  |
| <b>Evaporation rate</b>                       | no data available  |
| <b>Boiling Point</b>                          | no data available  |
| <b>Melting / Freezing Point</b>               | no data available  |
| <b>Water solubility</b>                       | soluble  |
| <b>Minimum Ignition Energy</b>                | not applicable   |
| <b>Decomposition temperature</b>              | no data available  |
| <b>Partition coefficient: n-octanol/water</b> | not applicable   |
| <b>Viscosity</b>                              | 55,000 - 180,000 cps at 25 °C<br>40,000 - 115,000 cps at 25 °C |
| <b>Flash point</b>                            | not applicable   |
| <b>Autoignition temperature</b>               | no data available  |
| <b>Lower explosion limit</b>                  | not applicable   |
| <b>Upper explosion limit</b>                  | not applicable   |
| <b>Explosivity</b>                            | no data available  |

---



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

6/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

---

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**

|   |   |
|---|---|
| <b>Thermal decomposition</b>              | no data available   |
| <b>Chemical stability</b>                 | Stable under normal conditions.                                       |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.           |
| <b>Conditions to avoid</b>                | Extremes of temperature and direct sunlight.<br>Exposure to moisture. |
| <b>Incompatible materials</b>             | Strong oxidizing agents, Strong bases, Strong acids                   |
| <b>Hazardous decomposition products</b>   | No decomposition products expected under normal conditions of use.    |

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin Absorption, Skin contact, Ingestion

**Immediate Effects**

**Eye** Moderate eye irritation.

**Skin** Harmful if absorbed through skin.

**Information on toxicological effects**

**Acute oral toxicity** LD50 (rat) > 5,000 mg/kg

**Acute inhalation toxicity**  
no data available

**Acute dermal toxicity** LD50 (rat) > 5,000 mg/kg

**Skin irritation** Slight irritation (rabbit)

**Eye irritation** Minimally irritating. (rabbit)

**Sensitisation** Non-sensitizing. (guinea pig)

**Assessment repeated dose toxicity**

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

**Assessment Mutagenicity**

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment Carcinogenicity**

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

7/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

**ACGIH**

None.

**NTP**

None.

**IARC**

None.

**OSHA**

None.

**Assessment toxicity to reproduction**

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

**Assessment developmental toxicity**

Fipronil did not cause developmental toxicity in rats and rabbits.

**Further information**

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

---

**SECTION 12: ECOLOGICAL INFORMATION**

|  |   |
|--|---|
| <b>Toxicity to fish</b>                  | LC50 (Oncorhynchus mykiss (rainbow trout)) 0.25 mg/l<br>Exposure time: 96 h<br>The value mentioned relates to the active ingredient fipronil. |
| <b>Toxicity to aquatic invertebrates</b> | EC50 (Daphnia magna (Water flea)) 0.19 mg/l<br>Exposure time: 48 h<br>The value mentioned relates to the active ingredient fipronil.          |
| <b>Toxicity to aquatic plants</b>        | EC50 (Scenedesmus subspicatus) 0.068 mg/l<br>Exposure time: 96 h<br>The value mentioned relates to the active ingredient fipronil.            |
| <b>Biodegradability</b>                  | Fipronil: ; not rapidly biodegradable   |
| <b>Koc</b>                               | Fipronil: Koc: 427 - 1278   |
| <b>Bioaccumulation</b>                   | Fipronil: Bioconcentration factor (BCF) 321; Does not bioaccumulate.  |
| <b>Mobility in soil</b>                  | Fipronil: Slightly mobile in soils  |
| <b>Environmental precautions</b>         | Do not allow to get into surface water, drains and ground water.<br>Do not contaminate surface or ground water by cleaning equipment or       |



**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

8/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

disposal of wastes, including equipment wash water.  
Apply this product as specified on the label.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

|                               |   |
|-------------------------------|---|
| <b>Product</b>                | Follow container label instructions for disposal of wastes generated during use in compliance with the product label.<br>Never place unused product down any indoor or outdoor drain.                   |
| <b>Contaminated packaging</b> | Do not re-use empty containers.<br>Wrap and discard in trash.<br>Follow advice on product label and/or leaflet.   |
| <b>RCRA Information</b>       | Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply. |

---

**SECTION 14: TRANSPORT INFORMATION**

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

---

**SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1259  
**US Federal Regulations**  
**TSCA list**  
None.  
**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**  
None.  
**SARA Title III - Section 302 - Notification and Information**  
None.  
**SARA Title III - Section 313 - Toxic Chemical Release Reporting**  
None.  
**US States Regulatory Reporting**  
**CA Prop65**  
This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**  
None.





**MAXFORCE® FC SELECT PROFESSIONAL INSECT  
CONTROL® ROACH KILLER BAIT GEL**

Version 3.0 / USA  
102000005017

9/9  
Revision Date: 11/06/2014  
Print Date: 11/06/2014

**Canadian Regulations**  
**Canadian Domestic Substance List**  
None.

**Environmental**  
**CERCLA**  
None.  
**Clean Water Section 307 Priority Pollutants**  
None.  
**Safe Drinking Water Act Maximum Contaminant Levels**  
None.

**EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Keep exposed gel away from open food and food contact surfaces.  
Harmful if absorbed through skin.  
Moderate eye irritation.  
Avoid contact with skin, eyes and clothing.

---

**SECTION 16: OTHER INFORMATION**

**NFPA 704 (National Fire Protection Association):**

Health - 1      Flammability - 1      Instability - 0      Others - none

**HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)**

Health - 1      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 11/06/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.